


THE
INTERNATIONAL TRAVELALL





1100 B 4x4

G. Phelps

RATING

EMPTY (Full tanks & tools aboard) on 11/14/96 weighed 5628 lbs MAXIMUM GROSS VEHICLE WEIGHT...

STANDARD EQUIPMENT

AXLE, FRONT

Hypoid single-reduction, 8½" ring gear Ratios: 4.09 or 4.77 to 1

AXLE, REAR
RA-18 3,500-lb capacity
Hypoid single-reduction, 8½" ring gear
Semi-floating, induction-hardened
flanged shafts

Ratios: 4.09 or 4.77 to 1

BRAKE, PARKING Mechanical control of rear service brakes Foot-pedal applied, finger-lever released Total lining area, 90.8 sq. inches

BRAKES, SERVICE
Self-adjusting hydraulic, dual operation
with warning-light
Single-cylinder, single-piston front,
Single-cylinder, double-piston rear
Size: 12 × 2" front, 12 × 1¾" rear
Total lining area: 188.6 sq. inches

CAB
All steel, with safety glass windows and sweep-around windshield Door locks both sides with safety latches Non-glare padded instrument panel with ammeter, fuel, water temperature and oil pressure gauges
Full-width adjustable seat, with Torflex spring construction, vinyl upholstery

spring construction, vinyl upholstery and polyurethane foam cushion Acoustical roof headliner

CAB (Continued)

Rubber floormat, with sound deadening insulation
Padded sun visor for driver

Two-speed non-glare electric windshield wipers and electric washers Seat belts and shoulder harness anchors Chrome door-mounted and inside rear view mirrors

CLUTCH

10-inch 9-spring single-plate Hydraulic control; vibration dampener

COOLING SYSTEM

18.5 quart system capacity Radiator frontal area: 497 sq. inches

ELECTRICAL SYSTEM

12-volt, 37-amp alternator
50 amp-hr, 54-plate battery
Fuse panel in glove compartment
Dual stop and tail lights
Dome light; single electric horn
Directional signals: front in parking lights, rear in stop lights Hazard switch

ENGINE

International BG-241 gasoline six Gross BHP: 140.8 @ 3,800 rpm Gross torque: 223.5 lb/ft @ 2,000 rpm 241 cu. jn. displmt; 7.5 to 1 compr. ratio Oil bath air cleaner; full-flow oil filter

Chassis: black: bumper: white Hood, cab, fenders and wheels: choice of any standard IH color FRAME

Pressed steel channel main rails 119".131" WB: 61% x 231 x x 0.150"; 3.99 sec. mod 140" WB: 7 x 3 x 0.179"; 4.80 sec. mod. Formed-channel front bumper

FUEL TANK

19-gallon, mounted under cab vo

STEERING

S-9 gear, with 17-inch steering wheel

Semi-elliptic steel leaf springs Front: 2½ x 42"; 2,720-lb capacity Rear: 2½ x 52"; 2,760-lb capacity Front and rear shock absorbers

TRANSFER CASE

TC-141 two-speed constant-mesh Single control lever selects high or low range and front axle declutch; permits low range operation in 4-wheel-drive only

Ratios: 1.93 and 1.00 to 1 Provision for full-torque PTO

TRANSMISSION 4 speed synchro T-4 three-speed synchromesh, direct Gearshift lever on steering column Ratios: 3.03, 1.64, 1.00; 3.68 rev.

WHEELS and TIRES

Single front and rear, with spare 8.15 × 15, 4-PR tubeless tires 5-stud disc wheels, with 5.50K rims 5½" bolt circles

OPTIONAL EQUIPMENT

AXLE FRONT Warn locking hubs. Tie rod guard

AXLE REAR

AXLE REAM
RA-28 3,500-lb single-reduction with
Powr-tok limited-slip differential
Ratios: 4.09 or A.77 to 1
RA-53 3,700-lb-single reduction
Ratios: 3.54, 4.10, 4.56
Ra-54 3,700 lb, capacity single reduction

With Powr-Lok limited-slip differential Ratios: 3.54, 4.10, 4.56

BODIES 00 7-ft or 8½-ft. regular pickup, with underslung tire carrier and backup lights

7-ft or 8-ft Bonus-Load pickup, with inner-body tire carrier and back-up lights **BODIES** (Continued)

Travelall® body, with 4 side doors, rear tailgate with electrically-operated

taligate with electrically-operated roll-down window, white rear bumper, inner-body tire carrier, dual padded sun visors and back-up lights.

Optional: full-width fold-down-center seat; removable rear seat; removable rear seat; removable rear seat; removable rear doors, individual bucket driver's cost white rear humper, index body seat, white rear bumper, inner-body tire carrier and back-up lights

8-ft stake body 6-ft Bonus-Load pickup with inner-body tire carrier and back-up lights for Travelette cab

BRAKES, SERVICE

Vacuum power assist system No

Deluxe interior package Custom interior trim package Exterior trim package Laminated, clear glass windows in lieu of tempered

of tempered 4-door, 6-passenger Travelette cab Full-width or passenger seat (for panel body) Tinted glass Arm rest, left or right side

Glove box lock Chrome door-mounted passenger side

Right outside mirror

Illustration May Include Optional Equipment

CAB (Continued)

Fresh air or recirculating heater
Super-capacity heater and defroster

CLUTCH Factory A-C 11-inch 9-spring 11-inch 12-spring 12-inch 12-spring

COOLING SYSTEM

Increased capacity system
Permanent anti-freeze: —20°F

ELECTRICAL SYSTEM

52- or 61-amp alternator. Dual electric horns 60 or 70 amp-hr battery Front axle warning light Two cab corner marker lights

Three front cab marker lights Cigar lighter

Radio and antenna Camper electrical connector

OPTIONAL EQUIPMENT (Continued)

BG-265 153.5-BHP gasoline six V-266 154.8-BHP gasoline V8 V-304 193.1-BHP gasoline V8 V-345 gasoline V8 Automatic choke High altitude equipment

Velocity-type engine governors Hand throttle control

Net 1824p@ 3800 Gress 197hp@ 4400

FRAME

Underslung tire carrier; carrier lock Left side tire carrier, for regular pickup Chrome bumpers, front and rear White rear bumper Two front tow hooks

18-gal right side FUEL TANK

Auxiliary 14-gallon under left side, with dash-mounted tank selector

FUEL TANK (Continued)
15-gallon under cab, in lieu of standard

STEERING


Hydraulic power assist system vo SUSPENSION

3,120-lb heavy-duty front springs 4,420-lb heavy-duty rear springs 5,520-lb auxiliary rear springs

TRANSMISSION
T-7 HD 3-speed direct Synchromesh with floor-mounted control lever
T-16 four-speed synchromesh, direct
T-28 3-speed automatic
T-34 HD 5-speed, overdrive
T-36 HD 5-speed, direct
Transmission-mounted PTO NO Full-torque PTO for transfer case NO Front-mounted winch, cable and hook NO Oil cooler for T-28
WHEELS AND TIRES

WHEELS AND TIRES

Optional tire sizes as shown below Chrome hub caps, front and rear



DIMENSIONS COMMON TO ALL WHEELBASES, with 8.15 x 15 TIRES

Overall Width: 78" at front fenders

Overall Height: 71.9" at top of cab

Ground Clearance: $\frac{7.3''}{7.3''}$ at front axle

29.2" empty 25.8" loaded Frame Height at Rear Axle:

CHASSIS DIMENSIONS and WEIGHTS CHASSIS WEIGHTS, LBS.* DIMENSIONS TURNING RADIUS 15.6 AF OAL To Centerline of Tire With Bumper Clearance WB Front Rear Total 1863/4" 23 ft. 4 in. 24 ft. 7 in. 2,370 1,115 3,485 451/2 851/4 393/4 119" 25 ft. 6 in. 27 ft. 1 in. 131" 2,385 1,125 3,510 571/2 1031/4" 453/4" 2043/4" 26 ft. 8 in. 140"** 2,555 1,380 3,935 331/2" 731/4" 393/4" 208%" 28 ft. 3 in.

*With regular cab, standard equipment and tires, oil, fuel and water.
**With Travelette cab, standard equipment and tires, oil, fuel and water.

TIRE DIMENSIONS

	TUBE	LESS on DISC WE	IEELS	TIRES and TUBES on DISC WHEELS			
Tire Size	8.15x15	8.45x15	6.50x16	7.00x15	7.00x15	9.00x15	
Rim Size	5.50K	6.00L	5.00K	5.50F	6.00L	5.50F	
Outside width OW	69.4"	69.8"	68.5"	69.5"	69.5"	70.8"	
Tread TW	61.4"	61.5"	61.6"	61.8"	61.3"	61.3"	
Inside width IW	55.0"	53.1"	55.3"	53.4"	53.5"	51.9"	
Chain clearance	6.4"	5.4"	6.6"	5.6"	5.6"	4.8"	
Front Tread	64.8"	64.9"	64.4"	64.8"	64.3"	64.8"	

In order that product improvements may be introduced at any time, specifications are subject to change without notice.

CT-400-E. AD-4458-T-6. 2-1.

INTERNATIONAL HARVESTER COMPANY • 401 NORTH MICHIGAN AVE. • CHICAGO, ILLINOIS 60611

ORDER AD SPEC. SHEETS ON AD-4130.

Litho in United States of America

LINE SETTING TICKET MOTOR TRUCK DIVISION 168.00 DATEBUILT DATE SHIPPED 05/29 DISTRICT I YES OAKLAND 725 621 NYC 本的有權事的表本中 CHASSIS SER. IHC 1000 GLENDALE ROAD 783107 P D BOX 1450 SPARKS NEVADA 89431 RAILHEAD SPARKS 119 05600 A 7831073 7831 073 0000 1 1100B 4X4 897 01000 0901 3ADKN FRAME AND BUMPER 01544 0015 TUBULAR TIRE CARR U/S 02016 0002 A FA-16 FRONT AXLE 4.09 02919 0010 FRT AXLE LOCKING HUBS 02930 0003 THE ROD PROTECTOR 03005 0001 HD FRT SPRING 03 24 0002 HD RR SPRINGL AUX 0001 0083 3DE HYDRAULIC BRAKES 04007 0035 AN PARKING BRAKE 15 04106 0003 FRONT BRAKE GROUP 16 04203 0003 REAR BRAKE GROUP 17 05009 0004 AE D STEERING GEAR 18 06100 0023 DRIVE LINE MOUNTING 19 231521 7134 PROPELLER SHAFT 20 231521 7370 PROPELLER SHAFT 21 231521 7410 PROPELLER SHAFT 22 07000 0555 3AD EXHAUST SYSTEM 23 08000 2110 CHNZ WIRING SYSTEM 24 08052 0052 D THE STATE ALT 08512 0010 12V 60A INC CAP STERY 26 08583 0232 A FRONT AXLE WARNING LIGHT 27 09000 0680 BEQW SHEET METAL 28 10000 0486 ADG SPEEDO-TOOLS-MISC 29 11123 0016 ACF 12 IN 12 SPG CLUTCH 30 12110 0100 AFHNS V 345 GAS ENGINE COMP 31 12740 0337 INCREASED COOLING 32 STANDARD REGISTER 12761 0005 C IHC PERM ANTI FREEZE 33 13016 0064 BD T 16 TRANSMISSION 34 13141 0025 DEK T141 TRANSFER CASE 35 14028 0003 GKNQ RAZB SR AXLE PWR LK 4.09 16 15214 0006 BF 14 GAL AUX TANK W/UC TK 37 16000 0142 B TRANS COVER/FLOOR MAT 38 16156 0011 FGKLV TRAVELALL W/TAILGATE 39 16634 0013 CDEHTVY DELUXE INTERIOR TRIM 40 16655 0009 B SUPER CAP HEATER / DEF 41 _ 16820 0006 A INTERMEDIATE FOLD SEAT 42 16835 0002 BG EXTERIOR TRIM PKG 43 18530 0057 185307 0000 FT DISC WHL 15X550F 44 700X15 6PR IT FT DC 550F 45 22530 0056 EQ SGL RR DISC WH 15X550F 46 225307 0000 700X15 6PR TT SR DC 550F 47 245106 0000 700X15 6PR TT SPARE TIRE 48 10772 0007 STANDARD TWO TONE 49 PAINT ROOF PANEL MASTER (B) 9120 WHITE 51 2 0202 PAINT BAL BODY 52 SYSTEMAT (B) HOOD FENDERS GRILLE 5688 GREEN 54 409SPEC 538278 5

CONDITIONAL SALE CONTRACT			DATE November 24,1967 CONTRACT NO.										
FOR NEW INTERNATIONAL OR USED					PURCHA (FIRM N	ASER NAME)	George A. or Rita Phelps					(III)	
The second second	R VEHICLES					ADDRES		20	91 Hol	man	THE THE	marel treat the	13
SELLER Inter	national	Harve	ster	Co.		CITY		Sp	arks		COUNTY	Washoe	745
STATE Spa	rks, Nev	rada 89	431	ALC: THE	14-13	ZIP COL		Ne	vada 8	89431	PHONE	358-4069	1 2 2 1 2
Purchaser hereby p													
CHECK	CHASSIS	the tollow	ring desc	ribed prope		E SIZE	ection	and ac	ceptance c		PACITY	nowledged by pu	
24	R-MODEL* W.B.	-	the same of the sa	ONT	RIM	SIZE		TYPE	WHEELS		AXIMUM LB	LOAD	OLOR
	00BTA 41							SINGLE	DISC	10 110 100	SHADLE		ite
	EAR DESIGNATED	- 1-		X15 4	Access to the last of the last	FIRST TIT	-	DUALS DER PR	10000	ESTABLISHED	BY THE MAN		reen
GEAR RATIO	CHASS			NGINE NO.		IDENTIFIC					- TYPE AR		-
4.09	783107			0135		83107		-				4X4 White	
Tire Ca	rrier, l	ocking	Hub	s. Tie	Rod	Guar	d, l	H.D.	Front	t # Rea	r	Green	
Springs	, 60 AM	Batte	ry,	Warnin	g Li	ght,	12"	Clut	ch, V-	-345 En	gine,	Increased	
2 Cooling	Defrost	rans,	Powe	r-Lok	K AX	le,Du	al	rie	tanks	s, Delu	xeint	Trim, Sec	. 264
A CANADA STATE OF THE STATE OF	Dellos Co	TREE	E-IN-	pacity	,			C	SH SAL	E PRICE		4,018.	00
YEAR-MODEL	10.31		11.11.11			100		AD	D SALES	OR USE TAX	7.2"		
CHASSIS NO.			-	272247		-10-0-1	3155	AL	DERLES	OR OUL IN		120.	
ENGINE NO.	N(NE						1. TC	TAL CA	SH SALE	PRICE	4,138.	54
BODY TYPE	1 - 3100	CAT PARTY	(Contract	10.20	-	and anyel	1011		OWN PA			of the fact of	to minima
ALLOWANCE	5	5		\$		1	100	-	SH	1,138	.54	The state of the state of	011953
AMT. OWING	of elements	S PARTY	9 1910	18697		FILVIP	11-12		TRADE-IN			XXXX	XX
NET TRADE-IN	5	5	4 600	\$		5	100	TC	TAL DO	WN PAYM	ENT	1,138	54
PH	YSICAL DA	MAGE IN	SURAN	CE COVE	ERAGE	E		3. UI		ASH BALA	NCE		
Physical damage in	A SA A SA				low, is t	o be purch	hased	4. 01	HER CH	ARGES DE	SCRIBE:	3,000	00
for term from date (Check proper cov		il expiration	date of	per Charles	New York	19.							
☐ If a commercia								5. C	DAMA	PHYSICAL GE INSUR	ANCE		Time.
and \$ upon the princip								WAY.		A SUB TO	4410771111111	3,000	00
on other equipm	ment described	01	CONTRACTOR AND	POLICE PROPERTY.	The state of the s	Canal Canal		6 C		GROUP CR		3,000	00
of the value of Tractor type	motor vehicle	_ to be att	hauling	under 50 m	e(s) by	the purch	haser.	0.0	LIFE	INSURAN	CE	750 300 300	1000
hauling (50 to explosives, flam	150 miles	Long dista	nce hau	ing [over]	50 mile	s) \square He	pulling	7. B/	(TOTAL	F B-A AND	6)	3,000	00
logs, stumps, pr	ulpwood, whole	sale lumber.	2000		THE SOUTH		-	votable)	Marie - Tra	E DIFFER	Managara Company	10000	Tel Te
for Compr	cle defined for rehensive (inclu	insurance pu	rposes a	s a private p	passeng	er vehicle,	then	0. 11	ME PRIC	L DIFFER		NONE	
Fire, theft and upset.	nd combined as	ditional co	verage []\$	ded	luctible co	llision	9. TI	TOTAL	OF 7 AND 8		3,000	00
Such (private s	passenger) vehi	cle insuranc	e shall b	oe based on	collisio	on classific	cation	10. T	IME SAL	LE PRICE	(TOTAL O	F 2 AND 9)	
as determined					-	-	200	5					
11. TERMS OF	PAYMENT:	Purchaser a	grees to	pay the Tim	e Balan	ce in	_ inst	alments	of \$ 3	000.00		, and insta	
successive month, c	each, and	instalmor	or 20	10	67	ach, and	- in	or b	efore		_ payable	on the same day	of each
successive month's	commencing			17	-	and as tolk	OWS	VI	WI VI W	and the same	maritalian)		
at the office of the													ollastica
by suit or otherwise	e, of any amoun	it payable u	inder this	contract.	Purchase	or agrans	to nav	a dalin	quency and	d collection c	harge upor		
for a period of 10													
If a charge is inclu this contract and t	the purchaser si	gning on th	e first an	nd uppermos	nsurance of line is	e it is und s the Insu	red and	d that &	y acknowle	ditor Life Insu	of Notice	of Proposed Grou	ofion with
tor Life Insurance.				ht		DESCRIPTION OF THE PARTY OF THE							
						Taken to the	THE REAL PROPERTY.	March 19				luded herein.	
Purchaser agrees to the entire agreeme ting to the order o	int relating to t	the instalmen	nt sale of	said proper	rty and	supersede	s all p	revious	contracts a	and agreemen	ts between	purchaser and se	contains oller rela-
NOTICE TO RE	ETAIL BUYER	R: Do no	t sign t	his contra	ct in b	olank. Y	ou are	e entiti	ed to a	copy of the	contrac	t at the time y	ou sign. TRACT.
Married Control of the Control of th	OVED FOR S	BELLER		Charles and the later of the la	RINT OR	TYPE NAM	4ES BEN	EATH S		_	URES MUST	BE WITHERED.	
BIGNATURE				SELLERIN	ter	nation	nal	Harv	ester	PURCHASER	Seare	e A. Phel	DS
	The Uping	15.4		BY		7.00	-		WITTE I	BY X	A CONTRACTOR OF THE PERSON OF	No to	TITLE
OFFICIAL TITLE			-	WITNESS					,	PURCHASER	Rita	Phelps	

WITNESS

BY X

TITLE

-Branch Manager



GENE CHOQUETTE

SALESMAN
INTERNATIONAL HARVESTER COMPANY
1000 GLENDALE AVENUE, SPARKS (EAST RENO), NEVADA

STATE OF	NEVADA
DEPARTMENT OF MOTOR VEHIC	LES—REGISTRATION DIVISION
DEALER'S REPO	ORT OF SALE
IMPORTANT—Check New or Used	Sale New Used
Full Cash List Price	If USED vehicle, does it Yes No have Nevada registration?
. 4018-	A
Use this form to report all vehicle sales including autos, trucks, trailers and motorcycles.	A 193120
Attach same as a temporary permit to inside	
operated for five (5) days from impossible to secur	
Year 67 Make Jest	Body Manchall
Model No. 1100 15 484	No of cita
IMPORTANT 253/07# 735	990-7 mint be correct.
Required for Commercial vehicles: Motive power	Axies Unladen weight
	Residence Washe
PLEASE PRINT	Birn PHELPS
Name sold to Registered owner's n	arpe
Residence 2081 Stal	man
City State State	700
Legal owner And Secretary	on on the title certificate as shown above.
Mailing 68 Hypen by as	on the title certificate as shown above.
address City	
County State	The state of the s
INTERNATIONAL HARVESTER Address P.O. Box 1450	CO. Dealer's No.
Snarks, Neveda	utte 1587
Salesman's name RD-101—25M (Rev. 1-67)	Salesman's No.

TRAVELER'S	CUSTOMER'S		1 0	40	
RECEIPT	750	C68. 1	1. PHE	ips	
542-336 3	THE RESERVE THE PROPERTY OF THE PARTY OF THE	18			
THE FILL ONLY	NAME OF BA		PAYEE IF ANY	S	
NEW TRAVER					
The		/55/			
		CURRE	NCY		
- APPLICA	ATION -		TOTAL	\$3000°	
NOTE NUMBER	The state of the s	INTEREST	COMBINED	7	
8			\$		
F					
0					
z LES	S-REFUND OF	FINANCE			
	TOTAL NET		300	200	
INVOICE NUMBER	S	TAUON			
	•				
S					
B					
O	THE RESERVE	7			
0					
>				The Later of	
z					
-					
	TOTAL ON I	NYOICES			
	OTAL APPL	ICATION	53000	0	
RECEIVED-INTERNATIONAL	HARVESTER C	O. DIS	MICT OFFICE	DATE	
BY Jen C	Leur	A I	OR	130/0	
/	Cust	OMER			





Gene Choquette & George Phelps, with '67 Travelall in 1997



Rita & George Phelps, with their 1967 Travelall in 1997







1967 Travelall in 2006

